

OD x ID x	Length	DIECO Part#	Bag Qty	Load Deflection Table		
				Max. Oper Def 40% of free length	Load at 1/10 in Def. (lb.)	
3/8 x 3/16 x	1	304104D	50	35.0	8.9	
	1 1/4	304105D	50	39.0	7.7	
	1 1/2	304106D	50	40.0	6.7	
	1 3/4	304107D	50	38.0	5.5	
	2	304108D	50	40.0	4.9	
	2 1/2	304110D	50	38.0	3.8	
	3	304112D	50	38.0	3.1	
	12	304148D	10	37.0	0.8	
1/2 x 9/32 x	1	304204D	50	66.0	16.8	
	1 1/4	304205D	50	65.0	12.8	
	1 1/2	304206D	50	64.0	10.7	
	1 3/4	304207D	50	63.0	9.1	
	2	304208D	50	63.0	7.8	
	2 1/2	304210D	50	60.0	6.0	
	3	304212D	10	59.0	5.0	
	3 1/2	304214D	10	60.0	4.3	
	4	304216D	10	58.0	3.6	
	12	304248D	10	59.0	1.2	
	5/8 x 11/32 x	1	304304D	50	125.0	31.8
		1 1/4	304305D	50	115.0	22.8
1 1/2		304306D	50	118.0	19.8	
1 3/4		304307D	50	121.0	17.5	
2		304308D	50	122.0	15.2	
2 1/2		304310D	50	120.0	11.9	
3		304312D	10	122.0	10.2	
3 1/2		304314D	10	120.0	8.6	
4		304316D	10	122.0	7.6	
4 1/2		304318D	10	121.0	6.7	
12		304348D	10	115.0	2.4	
3/4 x 3/8 x		1	304404D	50	205.0	52.0
	1 1/4	304405D	50	195.0	38.8	
	1 1/2	304406D	50	188.0	31.5	
	1 3/4	304407D	50	185.0	26.6	
	2	304408D	50	183.0	22.8	
	2 1/2	304410D	50	177.0	17.6	
	3	304412D	10	176.0	14.7	
	3 1/2	304414D	10	177.0	12.6	
	4	304416D	10	178.0	11.1	
	4 1/2	304418D	10	176.0	9.7	
	5	304420D	10	175.0	8.7	
	5 1/2	304422D	10	176.0	8.1	
	6	304424D	10	175.0	7.3	
	12	304448D	10	176.0	3.7	
1 x 1/2 x	1	304504D	50	385.0	97.9	
	1 1/4	304505D	50	364.0	72.2	
	1 1/2	304506D	50	356.0	59.5	
	1 3/4	304507D	50	352.0	50.9	
	2	304508D	50	342.0	42.6	
	2 1/2	304510D	50	329.0	32.7	
	3	304512D	10	335.0	28.0	
	3 1/2	304514D	10	327.0	23.3	
	4	304516D	10	328.0	20.4	
	4 1/2	304518D	10	327.0	18.1	
	5	304520D	10	325.0	16.3	
	5 1/2	304522D	10	329.0	15.0	
	6	304524D	10	325.0	13.6	

OD x ID x	Length	DIECO Part#	Bag Qty	Load Deflection Table	
				Max. Oper Def 40% of free length	Load at 1/10 in Def. (lb.)
1 1/4 x 5/8 x	7	304528D	10	322.0	11.5
	8	304532D	10	322.0	10.1
	12	304548D	10	317.0	6.6
	1 1/2	304606D	10	570.0	95.3
	1 3/4	304607D	10	540.0	77.9
	2	304608D	10	533.0	66.4
	2 1/2	304610D	10	504.0	50.0
	3	304612D	10	485.0	40.5
	3 1/2	304614D	10	483.0	34.5
	4	304616D	10	473.0	29.4
	4 1/2	304618D	10	473.0	26.1
	5	304620D	10	476.0	23.8
1 1/2 x 3/4 x	5 1/2	304622D	10	473.0	21.6
	6	304624D	10	461.0	19.3
	7	304628D	10	463.0	16.5
	8	304632D	5	454.0	14.2
	10	304640D	5	456.0	11.4
	12	304648D	5	458.0	9.5
	2	304708D	10	781.0	97.3
	2 1/2	304710D	10	741.0	73.5
	3	304712D	10	733.0	61.2
	3 1/2	304714D	10	713.0	50.9
	4	304716D	10	693.0	43.1
	4 1/2	304718D	10	691.0	38.2
5	304720D	10	696.0	34.8	
5 1/2	304722D	10	692.0	31.6	
6	304724D	10	694.0	29.0	
7	304728D	10	688.0	24.6	
8	304732D	5	682.0	21.3	
10	304740D	5	687.0	17.2	
12	304748D	5	679.0	14.1	
2 x 1 x	2 1/2	304810D	10	1219.0	121.0
	3	304812D	10	1136.0	94.9
	3 1/2	304814D	10	1116.0	79.6
	4	304816D	10	1113.0	69.3
	4 1/2	304818D	10	1106.0	61.1
	5	304820D	10	1082.0	54.1
	5 1/2	304822D	5	1080.0	49.4
	6	304-824D	5	1070.0	44.7
	7	304828D	5	1054.0	37.6
	8	304832D	5	1043.0	32.6
	9	304836D	5	1047.0	29.0
	10	304840D	5	1050.0	26.2
12	304848D	5	1040.0	21.6	
2 1/2 x 1 1/2 x	3	304912D	5	2074.0	173.3
	3 1/2	304914D	5	1980.0	141.3
	4	304916D	5	1933.0	120.4
	4 1/2	304918D	5	1899.0	104.8
	5	304920D	5	1857.0	92.8
	6	304924D	5	1809.0	75.6
	7	304928D	5	1778.0	63.4
	8	304932D	5	1768.0	55.3
	9	304936D	5	1769.0	49.0
	10	304940D	5	1769.0	44.2
	12	304948D	5	1759.0	36.6